

Depth 8-11/16" (22cm)



Height 9-1/16" 23cm

AVAILABLE MATERIALS

ArchPolymer_{TM}

Interior & Exterior, Water Rot, Insect Resistant

Flexible ResinMold®

for Arches / Curves / Circles /Straight Lengths Interior & Exterior, Water, Rot, Insect Resistant

GRG Glass Fiber Reenforced Gypsum (Interior)

FRP Fiberglass (Exterior)





CUSTOM MADE AS PER PROFILE

ResinMold_{TM} for Concave & Convex Curves & Straight Lengths





ResinMoldTM Stained

* All specifications subject to change without notice, Measurements are approximate & Final Product may vary from this brochure



Imperial Productions® 1-800-399-7585

Imperial Productions & Distribution Inc Shipping World Wide email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved


Name	
Contact:	
Phone #	
Email:	_
Address	
	ZIP/PC
MATERIAL SELECTION	
ArchPolymerTM A synthetic Plaster, White Primed F # of Units for Reside # of FireRated Units for Comm	ential
GRG-NeoPlasterTM A new age plaster, Class A fin# of Units	re rated (Interior)
ResinMold® A Synaptic polymer for Curves & Arch See Next Page	nes, Class A fire rated
VALUE ADDED FINISHES	
Factory Paint Color Code	Finish
Metal Coated: Type:	

^{*} Possible Limitations due to Quantity Requested and/or Application



Profile: IPNP4233 Flexible ResinMold™

1) ARCH - True 1/2 Circle & Eyebrow **Elevation Drawing**






Please Provide Inside Crown Measurements

D= Distance to Side from C Number of Arches:

2) CIRCLE

Diameter A



or Circumference

of Circles _____



3) CURVED WALL Plan View Drawings

Convex Wall

A = Depth =

|-----

Length of Curve

Concave Wall

A = Depth=____

Length of Curve _____

4) STRAIGHT LENGTHS

Total Feet (Meters) Required: _____

* Not available for Arches



