





Depth: 5-3/8" (13.7cm)



Made from

Arch-Polymer_{TM}


Interior & Exterior, White Primed, High Quality, Cuts like Wood Similar density to White Pine, Rot, Water & Insect Resistant, Easy to Install

ResinMoldTM for Curves, Circles

GRG (Glass Fiber Gypsum) for Interior Use (minium order applies)

FRP (Fiberglass)

for Exterior use (minium order applies)



* All specifications subject to change without notice, Final products & Measurements may vary from this brochure



Imperial Productions®

1-800-399-7585

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved


Name
Contact:
Phone #
Email:
Address
ZIP/PC
MATERIAL SELECTION
ArchPolymerTM A synthetic Plaster, White Primed Ready to Paint (Interior/Exterior) # of Units for Residential # of FireRated Units for Commercial
GRG-NeoPlasterTM A new age plaster, Class A fire rated (Interior) # of Units
ResinMold® A Synaptic polymer for Curves & Arches, Class A fire rated See Next Page
VALUE ADDED FINISHES Factory Paint Color Code Finish
Metal Coated: Type:

^{*} Possible Limitations due to Quantity Requested and/or Application



Profile: IPNP4248 Flexible ResinMold®

1) ARCH - True 1/2 Circle & Eyebrow **Elevation Drawing**






Please Provide Inside Crown Measurements

D= Distance to Side from C Number of Arches:

2) CIRCLE

Diameter A



or Circumference

of Circles _____



3) CURVED WALL Plan View Drawings

Convex Wall

A = Depth =

-----| Length of Curve

Concave Wall

A = Depth =

Length of Curve

4) STRAIGHT LENGTHS

Total Feet (Meters) Required: _____

* Not available for Arches

