

Projection: 9-13/16" (25cm)

AVAILABLE MATERIALS

 $ArchPolymer_{^{TM}}$

Interior & Exterior, Water Rot, Insect Resistant

Flexible ResinMold®

for Arches / Curves / Circles /Straight Lengths Interior & Exterior, Water, Rot, Insect Resistant

GRG Glass Fiber Reenforced Gypsum (Interior)

FRP Fiberglass (Exterior)



Ships World Wide

* All specifications subject to change without notice, Final products & Measurements may vary from this brochure



Imperial Productions®

1-800-399-7585

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved


Name	
Contact:	
Phone #	
Email:	
Address	
	ZIP/PC
MATERIAL SELECTION	
ArchPolymerTM A synthetic Plaster, White Primed # of Units for Residue # of FireRated Units for Common for Co	lential
GRG-NeoPlasterTM A new age plaster, Class A # of Units	fire rated (Interior)
ResinMold® A Synaptic polymer for Curves & Ar See Next Page	rches, Class A fire rated
VALUE ADDED FINISHES	
Factory Paint Color Code	Finish
Metal Coated: Type:	

^{*} Possible Limitations due to Quantity Requested and/or Application



Profile: IPNP4297 Flexible ResinMold®

1) ARCH - True 1/2 Circle & Eyebrow **Elevation Drawing**








Please Provide Inside Crown Measurements

Horizontal A = ____ Center Rise B = ____ Mid Rise C = ____

D= Distance to Side from C Number of Arches:

2) CIRCLE

Diameter A



or Circumference

of Circles _____



3) CURVED WALL Plan View Drawings

Convex Wall

A = Depth =

-----| Length of Curve

Length of Curve

Concave Wall

A = Depth=____

4) STRAIGHT LENGTHS

Total Feet (Meters) Required: _____

5) ORIENTATION circle one





Imperial Productions® 1-800-399-7585

Imperial Productions & Distribution Inc.